


AIRFIELD NAME	December 20	WICK		EGPC	Sc
CALLSIGN (A/C RADIO)	Wick Tower / Wick Information			119.700	
CALLSIGN (ES/VATSIM)	EGPC_TWR / EGPC_I_TWR			Elev. 126ft	
LOCATION	Lat N058.27.32.000	Long W003.05.35.000		VFR Conspicuity ---	
LOCATION GEOGRAPHIC	1nm N of Wick; Most northerly mainland A/P.			App. 119.700	
CHART SOURCE	NATS	AFISO Procedure training possible at any time.		QFE= QNH-4 HPscls	
METAR AIRPORT	EGPC 113.600	MORAY FIRTH is a Transponder mandatory Zone. Mode C required.			
NAV AIDS (FSX / PLANG3)	NDB/ WCK 344.00kHz	VOR/ WIK 113.600			
RUNWAYS	Headings	Dimension	Surface		
	13 / 31	1825m x 45m	Grooved Asphalt		
AIRSPACE	CLASS G	Transition level A3000ft	Airspace above is Class E FL 75 +, Airway		
CIRCUITS	1000ft QFE, Unless instructed otherwise by ATC. 13 - LH; 31 - RH. JOINING AS DIRECTED BY ATC.				
HAZARDS	Wild Deer, particularly early morning / late evening. Local Geese during winter period.				
HELICOPTER OPERATIONS	LIGHT helicopters may arrive/depart from the apron. WITH CARE and ATC approval.				
SPECIAL RULES	A/C ARRIVING Rnwy 31:- Backtrack when able to vacate Charlie. Report backtrack and vacated. A/C ARRIVING Rnwy 31 & 13:- HOLD AT C. Report IF NOT able to depart when lined up. Report backtrack; lined up/taking off. Plus any other position report requested by ATC. T/O clearance/instructions will be passed during backtrack. VFR/IFR training flights ONLY if approved by ATC. NO NORDO Aircraft. Start-up requests (or notification of engine started), mandatory on ALL aprons. Request to taxi.				
REMARKS	Loop taxiway Echo available to A/C with Main gear span less than 6m. ALL GRASS AREAS UNSUITABLE FOR ALL A/C. use ONLY marked taxiways. NORTH SEA Servicing Helios have priority over VFR/GA. ALL GRASS AREAS UNSUITABLE FOR ALL A/C.				

VRPs	Lat	PlanG		
Castletown A/D (Dis.)day only	N058.35.07	W003.21.01	58.58527778	-3.350277778
Keiss Village -	N058.32.00	W003.07.24	58.53333333	-3.123333333
Duncansby Head Light./NDB[290.5] -	N058.38.38	W003.01.31	58.64388889	-3.025277778
Loch Watten - HOLD S of Railway	N058.29.00	W003.20.06	58.48333333	-3.335
Lybster Village -	N058.18.00	W003.17.06	58.3	-3.285
Thrumster Masts -	N058.23.38	W003.07.28	58.39361111	-3.124166667

NB. When multiple inbound/outbound IFR/VFR. ATC may require GA/VFR to hold at one of the VRPs. Multiple inbound and outbound GA / VFR. ATC MAY require VFR Over Head Joins at 2000ft.

When multiple outbound VFR and NO KNOWN TRAFFIC. ATC MAY permit/instruct multiple backtrack/line-ups. REMEMBER. The safety of your A/C is your responsibility. If not happy, do not do it.



When multiple back-tracking KEEP RIGHT, to enable good visual of passing traffic. #1 call ready as last A/C passes.

When landing or backtracking for T/O. TURN-ROUND /LINE UP to use the minimum length of runway you require

. PILOTS: PLEASE PUT YOUR A/C CALLSIGN AFTER YOUR NAME. NOT TO BE USED FOR REAL WORLD OPERATIONS

