


AIRFIELD		EDINBURGH					EGPH	SCOTLAND	
CALLSIGN (A/C)		Edinburgh Tower					118.705		
CALLSIGN (A/F)		EGPH_TWR					Ground. 121.755		
LOCATION		Lat N055.57.00.000 Long W003.22.21.000					Elev. 136ft		
LOCATION GEO		5nm W of Edinburgh					VFR Conspicuity 0440		
CHART SOURCE		NATS		EGPH_DEL 121.980		NO NORDO A/C	App.121.205 Dir. 128.980		
		PH. 131.355			308KHZ UIVI U0		QFE= QNH-4 HPscls		
		B. EDN 341kHz OM 24			ILS 06/24 108.900	<u> </u>	GA Apron is 'Free parking' no set stands.		
		adings Dimer					ark safely, with care using minimum		
RUNWA		/ 24 2556n		n x 46m Grooved Asphal		area, so that all A/C can get in. GA Apron park 'nose			
	12 ,	/ 30 1797r		า x 46m	Grooved Asphalt	out' ALL A/C on star			
AIRSPAC	E CLA	ASS D EGPH CTR		R/TMA	•		lass D Scottish TMA FL60+		
CIRCUITS	120	Oft QFE	No	rmally to	the North and East	. 06, 12 LH 24, 30 RH. Or as directed			
NO FLY	Edinburgh below 3000' & all A/P buildings below 800ft								
LOCAL	BIRDS,	Sea and Land, are a SERIOUS problem. Bird-scaring-operations are carried out when needed.							
HELIO OPS	ALL Helicopter arrivals / departures are via the Runway. There are no established routes.								
		cuit Height Not below 700'QFE. as per fixed wing. Do not overfly buildings. ALL Taxiing as directed by							
	ATC.								
SPECIAL RULES	All A/C on first contact (outbound) must state A/C type; Location/stand; & ATIS received.								
	DO NOT request START until flight plan clearance received.								
	START-UP, TAXI AND DEPARTURE MUST ONLY BE REQUESTED WHEN READY TO DO IT.								
	ATC will require MINIMUM RUNWAY OCCUPANCY. Cockpit checks should be completed PRIOR to								
	requesting Departure to minimise runway occupancy. Always taxi at best SAFE speed.								
	When taxiing do not obstruct the Fire station access, between A10 and A11. Landing A/C.								
		Landing A/C. If told to GO AROUND, even when on the Runway - Do so - A large A/C is behind you! GA A/C Do not report VACATED until holding (no taxi clearance) or passing the hold closest to Taxi A.							
		Inbound GA A/C requiring UK Border clearance may be required to taxi to MAIN APRON first.							
		A A/C will normally be parked on the GA apron NE corner of the TURNHOUSE Apron							
		isiting groups may be assigned a group of stands – 2 per stand, (usually SE apron GA A/C must NOT join							
	_	final at LESS THAN 1000' QFE (3nm) Then, do not drop below the PAPIs - NOT BELOW Glide Path.							
	If ILS app. MAINTAIN 3000ft until intercepting the glide path, THEN NOT BELOW the glide path.								
	Pilots in the vicinity of EGPH, but not intending CTR entrance may monitor EGPH_RDR on121.205 (or APP)								
	and squawk 0440. You will ONLY be contacted If requiring traffic avoidance.								
NOISE	DEPARTS: 06. Straight ahead; at 500ftQFE (635ft QNH), turn left onto t 7dme turn on course								
	24. Straight ahead to UW NDB or 3000ft QNH, WHICHEVER IS EARLIER, BEFORE turning on course								
	12 & 30; Straight ahead to 3000ft QNH, BEFORE turning on course. OR AS INSTRUCTED BY ATC								
	VFR/SVFR may expect to be routed in/out via the VRPs (see page 3 below).								
	VFR Pilots MUST remain VMC. SVFR will not normally be given to A/C in VMC and OUTSIDE the CTR.								
Remarks	ENTRY EXIT LANES: Exist primarily for use in poor VMC conditions, or to aid ATC in mixed traffic								
	•	integration. However, Pilots may request the use of the lanes. Dependent upon controller situation, this							
	-	be refused. Normal VFR approach / departure will be via the VRPs show on the chart below.							
		MBER: IFR takes precedent over VFR; Public service A/C (Police, Medical, Emergency flights) take							
	preced	ecedent over ALL A/C.							







EDINBURGH EGPH, CTA (planG) Showing VRPs and Entry/Exit Lanes from / to the Nth and West.

VFR flights will use the Entry/Exit lanes or the VRPs Listed below.

VRPs. Letters on Chart Cobbinshaw Resevoir; A Musselburgh Racecourse; B Dalkeith;C Kirkliston;D Hillend Ski Slope; E Forth Road Bridge (Nth Twr);F Bathgate; H Philpstoun (M8 Jnct 2);J Kelty;G Longannet Power Station; K Penicuik;L Polmont; M Kirkaldy Harbour; N Hermiston (M8 Jnctn 1);0 Kirknewton; P Arthurs Seat; R West Linton; S

ENTRY/EXIT Lanes; Western – POLMONT LANE. Northern – KELTY LANE

USE OF LANES: Only with ATC Clearance; Pilots must maintain clearance from ground and other obstacles.

Remain clear of cloud, in sight of ground or water, NOT ABOVE 2000ftQNH.

LANES will normally be used by ATC during poor weather and/or high traffic loads (IFR).

Pilots MAY REQUEST use of lanes, which may NOT be approved.

IN VMC, VFR A/C WILL NORMALLY BE ROUTED VIA THE VRPs.

NOT TO BE USED FOR REAL WORLD OPERATIONS